

10/738,352

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	101905	power adj2 switch	US-PGPUB; USPAT; EPO; JPO; DERWENT
2	BRS	S2	72	S1 same (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
3	BRS	S3	247962	chang\$3 near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	BRS	S4	28	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	BRS	S5	10	S2 same S3	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	BRS	S6	16	S2 same temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	BRS	S7	21	overheat\$3 same (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	BRS	S8	2	computer with temperature with (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	BRS	S10	6	S9 not S8	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	BRS	S11	217	temperature with (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	BRS	S12	42	S11 same ((chang\$3 or switch\$3) near3 (mode or state))	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	BRS	S13	31	S11 with ((chang\$3 or switch\$3) near3 (mode or state))	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	BRS	S9	8	computer with temperature same (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	BRS	S14	4	S12 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT
15	BRS	S15	2	temperature with (state near3 (power adj drive\$12))	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
16	BRS	S25	2	S23 same parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT
17	BRS	S27	2	S23 same threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT
18	BRS	S28	119834	(controller or computer or microprocessor) near5 (run\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
19	BRS	S29	302	S20 same S28	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	BRS	S16	105	temperature with (power adj driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	BRS	S18	2	S16 and (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	BRS	S22	536	(controller or computer or microprocessor) near5 (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
23	BRS	S24	10	S23 same temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT
24	BRS	S17	0	S16 same (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
25	BRS	S19	4	(temperature near4 threshold) with (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
26	BRS	S23	23	S20 same S22	US-PGPUB; USPAT; EPO; JPO; DERWENT
27	BRS	S20	112985	Power adj2 (driver or switch)	US-PGPUB; USPAT; EPO; JPO; DERWENT
28	BRS	S21	440	(controller or computer or microproecssor) near5 (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
29	BRS	S26	0	S23 same thrshold	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
30	BRS	S30	37	S29 same (temperature or threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT
31	IS&R	S39	1171	(62/186).CCLS.	US-PGPUB; USPAT; EPO; JPO
32	BRS	S41	536	(controller or computer or microprocessor) near5 (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
33	BRS	S42	0	S40 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT
34	IS&R	S37	230	(236/78a).CCLS.	US-PGPUB; USPAT; EPO; JPO
35	IS&R	S35	1218	(236/49.3).CCLS.	US-PGPUB; USPAT; EPO; JPO
36	BRS	S44	0	S43 and (power adj2 (drive\$2 or switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT
37	IS&R	S36	871	(236/78r).CCLS.	US-PGPUB; USPAT; EPO; JPO
38	IS&R	S38	206	(236/78b).CCLS.	US-PGPUB; USPAT; EPO; JPO
39	BRS	S45	242	S40 and (power adj2 (drive\$2 or switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT
40	BRS	S40	3818	S33 or S34 or S35 or S36 or S37 or S38 or S39	US-PGPUB; USPAT; EPO; JPO; DERWENT
41	IS&R	S34	191	(323/318).CCLS.	US-PGPUB; USPAT; EPO; JPO
42	BRS	S43	10	S40 and (run adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT
43	IS&R	S32	12	((("6449533") or ("6351693") or ("6264111") or ("6260765") or ("6213404") or ("6089310") or ("5833134") or ("5803357") or ("5682949") or ("5566879") or ("4657179") or ("4382544"))).PN.	US-PGPUB; USPAT; EPO; JPO

	Type	Ref #	Hits	Search Text	DBs
44	IS&R	S33	364	(323/299).CCLS.	US-PGPUB; USPAT; EPO; JPO
45	IS&R	S31	24	(("6449533") or ("6351693") or ("6264111") or ("6260765") or ("6213404") or ("6089310") or ("5833134") or ("5803357") or ("5682949") or ("5566879") or ("4657179") or ("4382544")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT